

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) Publication number:

**0 307 924 B1**

(12)

## EUROPEAN PATENT SPECIFICATION

- (45) Date of publication of patent specification: **10.03.93** (51) Int. Cl.<sup>5</sup>: **B65D 83/08**  
(21) Application number: **88115171.6**  
(22) Date of filing: **16.09.88**

(54) Flexible dispenser packet for premoistened towelettes.

(30) Priority: **18.09.87 US 98298**

(43) Date of publication of application:  
**22.03.89 Bulletin 89/12**

(45) Publication of the grant of the patent:  
**10.03.93 Bulletin 93/10**

(84) Designated Contracting States:  
**AT BE CH DE ES FR GB GR IT LI LU NL SE**

(56) References cited:  
**EP-A- 0 030 348 EP-A- 0 331 027**  
**WO-A-84/02896 US-A- 2 640 587**  
**US-A- 3 243 078 US-A- 4 138 034**

(73) Proprietor: **HT Marketing, Inc.**  
**306 Andrus Avenue**  
**Murray, Kentucky 42071(US)**

(72) Inventor: **Dailey III, Robert**  
**98 Shady Lane**  
**Jackson Tennessee 38302-1561(US)**

(74) Representative: **Schulze Horn, Stefan,**  
**Dipl.-Ing. M.Sc.**  
**Goldstrasse 50**  
**W-4400 Münster (DE)**

**EP 0 307 924 B1**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid (Art. 99(1) European patent convention).

## Description

### FIELD OF THE INVENTION

This invention relates to a packet dispenser containing pre-moistened towelettes in which the packet is formed from a flexible, moisture impervious material, said packet having an opening through which successive towelettes are successively dispensed. The aforementioned packet contains in addition a rigid insert positioned atop a stack of towelettes, said insert, when in place within the packet atop the stack of towelettes, having an opening therethrough which is located in alignment with the opening through said packet.

### BACKGROUND OF THE INVENTION

In the art of dispenser packaging, structurally rigid containers with resealable lids for maintaining moistened tissues are well known. These contain a plurality of pre-moistened tissues stacked within a container or package having rigid top, bottom and side walls. Access to the towelettes is usually through a symmetrical opening in the top side of the rigid container; the opening is generally resealed by a cover extending directly over and beyond all sides of the opening.

An example of such dispenser construction is disclosed in U.S. Patent No. 3,819,043 to Harrison. The dispenser pack has an opening covered by a flap in a top side of the container. The flap, having the same shape as the opening, may have a depression molded onto its bottom side. The flap self closes when allowed to return to a horizontal position, and the optional depression protrudes into the opening to further tighten the seal.

Further examples of access openings covered directly by extended flaps are shown in U.S. Patent Nos. 4,420,080; 4,143,762; and 4,131,195.

Problems associated with these dispenser constructions are the bulky size of the rigid containers, the immediate exposure of the towelettes to moisture loss when the flap seal is left open or fails and the soiling of the towelettes during the opening and closing of the flap.

In the past, in order to combine the "pop up" feature with a high count number of towelettes contained within the dispensing unit, the towelettes were usually packaged in bulky containers centerwound on a roll and containing perforations which facilitated detachment of the individual towelettes when needed.

Another example of such a dispenser construction is disclosed in WO-A-84/02896 on which the preamble of claim 1 is based. Said publication describes a container for a stack of folded, preferably treated, towels comprising a flexible, water-

impermeable envelope having in the interior space thereof a movable apertured stiffening plate. The plate is of an area substantially equivalent to one surface of the envelope and one surface of the towel stack and is positioned between the towel stack and the surface of the envelope so that the aperture is aligned with an opening in the surface. The towels are stacked and sized so as to be sequentially removable through the aperture and the envelope opening. Two closure member strips are attached adjacent to the edges defining said opening in opposed fashion and are adapted so as to interlock and seal said opening under conditions of pressure.

Problems associated with the container as described above are that the closure member strips comprise a rather complicated structure and the closure thereof requires some skill and time which may result in imperfect closure and subsequent moisture loss of the towelettes contained in the package.

Still another example of a dispenser, which comprises a flap to resealably cover an opening in the top of the dispenser is disclosed in EP-A-0 030 348.

The dispenser-container comprises a main container body made of impervious material with at least one opening, a flap having a pressure-sensitive adhesive surface and fixed to the main body at one end thereof to cover the opening, and a non-adhesive member adhered to the adhesive surface and which member is used for closing the opening in order to prevent the adhesive surface from directly contacting the contents.

A problem encountered with the use of the dispenser as described above is the adhesion of the non-adhesive member to the adhesive surface of the flap, as the non-adhesive member originally is part of the main body and must be torn up along a perforated line at the first use of the dispenser when opening the flap which operation may result in only partial separation of the perforated line and subsequent damage to the non-adhesive member.

The present invention consisting of a flexible outer packet containing a rigid insert within to maintain the towelettes in place represents an improved portable dispenser pack which can be conveniently sealed to hold the moisture within the packet.

### SUMMARY OF THE INVENTION

In its broadest aspects, this invention provides a resealable flexible plastic packet container as defined by the features of claim 1.

The packets according to the present invention are intended to provide towelettes for personal hygiene, primarily when soap and water are not

available. Such a towelette normally consists of paper or non-woven fabric and is generally saturated with a cleansing agent or an antiseptic solution containing a mild cleansing component, an oil-replenishing agent preventing the skin from drying, a bactericide and possibly perfume.

The rigid plastic insert which is contained within the flexible packet conforms generally to the shape and dimensions of the top of the packet. The sides of the insert are described as abbreviated and are formed with a continuous arcuate course around the periphery of the top so as to enclose a number of towelettes at the top of the stack of towelettes enveloped within the packet.

The sides of the insert are referred to herein as "abbreviated" because they do not extend the entire depth of the packet containing the towelettes when full prior to use but only extend downward for such distance as to enable the stack of towelettes to be kept in alignment. The abbreviated side walls of the insert may, but need not, extend beyond the depth of the peripheral walls which determine the depth of the cavity.

A cavity is formed into the top of the rigid insert and comprises a bottom wall and peripheral walls which extend from said bottom wall to the top of said rigid insert, said bottom wall having an opening transversely positioned relative to a presented edge of the pre-moistened towelettes positioned beneath the insert. The opening in the bottom wall of the cavity in the insert is in substantial alignment with the opening in the top of the flexible packet.

The insert provides a convenient means which allows flexible packaging to be used with a high count put-up of interfolded wet wipes. The insert provides a restrictive pressure against the top of the stack of towelettes. This pressure causes the lead edge of the interfolded towelettes to shift from side to side as pulled from the pouch, and therefore, providing the "pop out" dispensing feature which is unique to this flexible dispenser.

The invention embodied within the instant dispensing system provides a flexible dispenser that both "pops up" and concurrently permits the packaging of a high count number of wipes.

The compact and lightweight package of the present invention is more efficient and easier to handle than known packages used in the art.

Therefore, this invention creates new features and benefits to the user not currently available with other wet wipe dispensers.

#### BRIEF DESCRIPTION OF THE DRAWINGS

For a better understanding of the invention, together with other and further objects thereof, reference is made to the following description, taken

in connection with the accompanying drawings, and its scope will be pointed out in the appended claims.

Referring now to the drawings:

Figure 1 is a perspective view of the packet.

Figure 2 is an cross sectional view of the dispenser along its length, illustrating its components including the rigid insert.

Figure 3 is an exploded perspective view, illustrating in detail the outer packet, sealing tab, insert and pre-moistened towelettes.

#### DETAILED DESCRIPTION OF THE INVENTION

Referring to Figures 1 and 2, the present invention provides a flexible packet container for dispensing a quantity of pre-moistened towelettes or tissues which are contained therein having a resealable tab 2, which when removed reveals an opening through the packet 1 to allow the user to have access to the towelettes contained therein.

The packet 1 is preferably made from a highly moisture and vapor proof flexible plastic and has a top 3, bottom 4 and sides 5. Although a thermoplastic material, such as polyethylene or polypropylene, is preferred because it is inexpensive and easy to form, it may be appreciated that any material such as saran or a laminated metallized film which is moisture and vapor resistant may be used to produce the packet.

The material used should be of a grade approved for direct food contact so that toxic or hazardous contaminants will not leach into the towelettes to cause irritation or illness. The moisture-proof material preferably consists of a diffusion-tight plastic which is inert to the constituents of the moisturizing solution.

The resealable tab 2 which is made of highly moisture and vapor proof material is positioned so as to permit a sealing off of the opening on the top of the packet.

The moist towelettes used herein consist, for instance, of paper cloths or cloth of non-woven fabric. If the towelette shall be used for cleansing purposes, it can be impregnated with a cleansing, antiseptic solution, preferably a 15% ethanol solution containing a bactericide such as triclorhydroxy phenyl ether or cetyl pyridin chloride and an agent reducing surface tension, such as an amphoteric tenside. The solution may also contain substances beneficial to the skin such as lanolin and isopropyl myristate, as well as perfumes such as menthol.

The flexible packet 1 is produced from a continuous wall of film which is formed into discrete packets having fin seals along the center bottom 4 of the packet (not shown) and end seals 6. The aforementioned seals can be effected either sonically or thermally as desired.

The towelettes are prefolded and packed such that they lay in direct contact with each other to form a stack. The towelettes should be interfolded in a "pop up" configuration. The term "pop up" in reference to towelettes is a term of art referring to the fact that the trailing edge of a removed towelette causes the leading edge of a subsequent towelette to protrude through an opening for use.

Access to the towelettes 7 in the packet 1 is gained through an opening beneath tab 2 which is found in cavity 8 located in rigid insert 9.

Referring to Figure 3, inside of the sealed, flexible packet and immediately beneath the top 3 of said packet is positioned a rigid tray insert 9 which serves to provide structural reinforcement to the packet. Within the overall dimensions of the rigid insert 9, there is a cavity 8 formed by a bottom or base wall 10 and peripheral walls 11, 12, 13, 14 which extend from the bottom wall to the top 15 of the rigid insert. In the bottom wall 10 of the cavity, there is an opening 16 which provides access to the towelettes.

The rigid tray insert is preferably made of plastic such as polyethylene, polypropylene and polystyrene and conforms generally to the shape and dimensions of the top 3 of the flexible packet. The abbreviated sides 18, 18', 19, 19' of the insert 9 are formed with a continuous arcuate course around the periphery of the top so as to enclose a number of towelettes at the top of the stack of towelettes.

The opening 17 through which the towelettes are dispensed comprises two parallel longitudinal slits separated from each other and connected at each of the ends of these longitudinal slits by two semi-circular sections which are diametrically opposite each other. The resulting transverse slit which connects the longitudinal slits is defined by two semicircular or parabolic shapes which are the mirror image of each other and thus is rounded and the opening is therefore a modified "H" configuration.

Opening 17 has the modified "H" type configuration described because it has been found that that particular rounded tabs 21 and 22 extending into the opening provide a configuration which resists removal of more than one tissue 7 at once by forcing a breakaway action when the tissue is subjected to a pulling force.

The tabs 21 and 22 forming a part of the modified H shape of the orifice in the plastic tray insert are flexible enough so as not to tear the wipes as they are being pulled from the package, but rigid enough so that when this opening is positioned in the center on the top of the stack of interfolded wipes, it aids the wipes in shifting from side to side so the lead fold of the next wipe protrudes through either of the longer sides of the

H opening.

The cavity 8 provides a space for the storage of the next towelette in line for removal so that it is immediately available and yet does not contact the seal tab 2 which covers the opening 23 through the top of the flexible packet 1.

Towelettes 7 are disposed in the packet 1 with their lengthwise edges along and within abbreviated insert sides 19, 19' parallel to the longitudinal dimensions of the "H" type opening such that an exposed edge of a top towelette 7 can protrude through opening 17 into cavity 8. As a result of this presentation, one may pull the exposed edge of the towelettes 7 to remove it through opening 17 from cavity 8 from opening 23, exposing thereafter the leading edge of the next towelette immediately behind it which then protrudes through opening 17 and is available for removal when the next tissue 7 is desired.

The cavity in the plastic tray insert provides not only a place in which to tuck the leading portion of the next wipe after a single wipe has been dispensed, but also holds that wipe in place so that when the reseal flap 2 is pulled back, the towelette is readily available in the opening 23 directly under the reseal flap. Also, although there are other reseal flaps now in use with similar pouch packages, there is no high count pop-up, flexible packet dispenser closed with a reseal flap which possesses the lightweight portability of the instant invention.

## Claims

1. A dispenser housing a plurality of pre-moistened towelettes comprising:
  - a sealed flexible packet (1) of moisture impervious material, said packet having a bottom (4) and a top (3) and fin seals (6) along each end;
  - a rigid insert (9) provided with an opening (17);
  - a closure means (2) at the top (3) of said flexible packet (1) to resealably cover said opening (17);
  - characterized in that said rigid insert is a tray comprising a top (15) and a peripheral skirt (18, 18', 19, 19') spacing said bottom from said top of said flexible package and entirely covering said plurality of pre-moistened towelettes and having a cavity (8) comprising a base wall (10) and peripheral walls (11, 12, 13, 14) extending from said base wall (10) to said top (15) of said rigid tray insert (9) and said base wall (10) having said opening (17) transversely positioned relative to a presented edge of one of a plurality of disposable pre-moistened towelettes removably positioned in the space of said packet (1) beneath said rigid tray insert (9) whereby access is provided to said towelette for a removal of said towelette from said

packet (1) such that upon removal of said towelette from said packet (1) the next succeeding towelette is presented for subsequent removal from said cavity (8), said closure means of said package being a tab (2) which is aligned with said opening (17).

2. The packet defined in claim 1, characterized in that the packet has a fin seal along the center of the bottom (4) of said packet (1).
3. The packet defined in claim 1, characterized in that said opening (17) in said rigid tray insert (9) is a modified H.

#### Patentansprüche

1. Spender zur Aufnahme einer Vielzahl von angefeuchteten Servietten mit einem dicht verschlossenen biegsamen Päckchen (1) aus feuchtigkeitsundurchlässigem Werkstoff, wobei das Päckchen einen Boden (4) aufweist und eine Oberseite (3) und Stegverschlüsse (6) entlang jeden Endes; einem mit einer Öffnung (17) versehenen steifen Einsatz (9); einem Verschlußmittel (2) an der Oberseite (3) des biegsamen Päckchens (1), um die Öffnung (17) dicht wieder verschließbar zu bedecken, **dadurch gekennzeichnet**, daß der steife Einsatz ein Trog mit einer Oberseite (15) ist und einer Umfangseinfassung (18, 18', 19, 19'), die den Boden von der Oberseite des biegsamen Päckchens beabstandet und die Vielzahl angefeuchteter Servietten vollständig bedeckt, und einen Hohlraum (8) aufweist mit einer Grundwand (10) und Umfangswänden (11, 12, 13, 14), die sich von der Grundwand (10) zu der Oberseite (15) des steifen Trogeinsatzes (9) erstrecken, wobei in der Grundwand (10) die Öffnung (17) quer zu einer dargebotenen Kante von einer aus einer Vielzahl von entnehmbaren angefeuchteten Servietten angebracht ist, die entnehmbar in dem Raum des Päckchens (1) unter dem steifen Trogeinsatz (9) angeordnet sind, wodurch Zugang zu der Serviette geschaffen ist zur Entnahme der Serviette aus dem Päckchen (1) derart, daß nach der Entnahme der Serviette aus dem Päckchen 1 die nächstfolgende Serviette zum nachfolgenden Entnehmen aus dem Hohlraum 8 dargeboten ist, wobei das Verschlußmittel des Päckchens ein Streifen 2 ist, der mit der Öffnung 17 ausgerichtet ist.
2. Päckchen nach Anspruch 1, dadurch gekennzeichnet, daß das Päckchen einen Stegverschluß entlang der Mitte des Bodens 4 des Päckchens 1 aufweist.

3. Päckchen nach Anspruch 1, dadurch gekennzeichnet, daß die Öffnung 17 in dem steifen Trogeinsatz 9 ein modifiziertes H ist.

#### Revendications

1. Un distributeur contenant une pluralité de serviettes préhumidifiées comprenant:
  - un sachet souple scellé (1) en un matériau imperméable à l'humidité, ledit sachet ayant un fond (4) et un dessus (3) ainsi que des scellements à ailette (6) le long de chaque extrémité;
  - un insert rigide (9) comportant une ouverture (17);
  - des moyens de fermeture (2) sur le dessus (3) dudit sachet souple (1) pour couvrir de manière susceptible d'être étanchée à nouveau ladite ouverture (17);
 caractérisé en ce que ledit insert rigide est un plateau comprenant un dessus (15) et une jupe périphérique (18, 18', 19, 19') écartant ledit fond dudit dessus dudit sachet souple et couvrant entièrement ladite pluralité de serviettes préhumidifiées et présentant une cavité (8) comprenant une paroi de base (10) et des parois périphériques (11, 12, 13, 14) s'étendant de ladite paroi de base (10) vers ledit dessus (15) dudit plateau d'insert rigide (9) et ladite paroi de base (10) présentant ladite ouverture (17) disposée transversalement par rapport au bord exposé de l'une des serviettes d'une pluralité de serviettes préhumidifiées jetables disposées de manière amovible dans le volume dudit sachet (1) en-dessous dudit plateau d'insert rigide (9), de manière à ménager l'accès à ladite serviette pour permettre son retrait dudit sachet (1) de telle sorte qu'après retrait de cette serviette dudit sachet (1), la serviette immédiatement suivante se présente pour le retrait subséquent hors de ladite cavité (8), lesdits moyens de fermeture dudit sachet étant constitués par une languette (2) qui est dans l'alignement de ladite ouverture (17).
2. Le sachet défini selon la revendication 1, caractérisé en ce que ce sachet présente un scellement à ailette au milieu du fond (4) dudit sachet (1).
3. Le sachet défini selon la revendication 1, caractérisé en ce que ladite ouverture (17) dans ledit plateau d'insert rigide (9) est un H modifié.




FIG. 1




FIG. 2






FIG. 3

